# Ch.1 Programming concept

What you will learn in this chapter


- Programming Concepts
- Programming language
- Algorithm
- Scratch

Before writing a program, let's review some important concepts.




#### What is a program?

- A computer is a general-purpose machine -> You can do many things using a computer
- What makes computers general-purpose is the concept of programs




#### Definition of computer

- A computer is <u>not</u> simply a machine <u>that computes</u>
- A computer in the modern sense can be said to be a machine that processes data according to a program




### What's inside the program?

- A program can be thought of as a work instruction for a specific task.
- To perform a task, you need to list instructions. A program contains instructions.




#### Example of a program

 three numbers and calculates their average. The program can be made up of the following instructions.
 These instructions are called commands.



#### Program == Work Instructions

• Program : A document that tells the computer what to do.




#### History of the program


It never actually got made!

- The first programmable machine : the Analytical Engine
- Created by : Charles Babbage

• Thousands of gears , wheels , axles , levers, etc. are powered by steam.




difference organ



#### Babbage's Analytical Engine


 Babbage's Analytical Engine was designed to be steam-power ed and comprised of thousands of gears, wheels, axles, and levers.




- \* Central processing unit (responsible for calculations, called mill)
- \* Memory ( where numbers are temporarily stored in intermediate stages, called store)
- \* Output device ( dial that indicates the output number )
- \* Input device ( punch card )

#### Programming early computers


• the early computer, ENIAC, were stored in switches, and each time the program was changed, all the switches had to be reconnected from scratch.





#### Von-neumann architecture

- Programs are stored in main memory -> can be easily changed
- Sequentially retrieves and executes commands from a program stored in main memory.



#### The first programmer


- The first person to create the program was Ada Lovelace
- Ada Great writer Byron's biological daughter
- Babbage's Analytical Engine and developed a program for it.
- Invented core computer programming fundamentals such as subroutines, loops, and jumps.





Enchantress of Numbers


### Ada's program



1842. Ada worked with Italian engineer Luigi Menabrea on the Analytical Engine. In the process of translating the article. I added a note in the margin. Ada's note is three times longer than the article itself, and explains in detail how to compute Bernoulli numbers using an analysis engine. This note is considered by many to be the first computer program in the early history of computing, that is, an algorithm designed for a machine to perform.

#### How detailed should the work instructions be?


 Because they lack common sense or intelligence, they must be given very detailed and specific instructions on what to do.



Calculate the average of students' grades



I don't know what "average" means.



Enter students' grades, add up the entered grades, and divide by the number of students.



Now I know the instructions to some extent, but I don't know what to do with the result.



What is average?

$$\frac{1}{n}(x_1+x_2+...+x_n)$$



I know what the words mean, but you need to tell me the step-by-step procedure.



Enter the students' grades, add up the entered grades, and divide by the number of students.

Display the results on the screen.




This should have been the directive from the beginning.



#### Advantages of Computers

• He does his work very quickly and accurately, and he never complains no matter how many times he is asked to do it.




## What you will learn in this chapter

- Programming Concepts
- •Programming language
- Algorithm
- Scratch




#### Language that computers understand

- Computers understand only one language: machine language, which consists of 0s and 1s, such as "001101110001010..."
- Computers express everything as 0 and 1, and work by turning internal switch circuits ON/OFF based on 0 and 1.



#### machine language

• It is a binary number such as "001101110001010 ...", which is composed of 0 and 1




#### Machine language

• Example of machine language

```
0×401058
  Address:
 00401058
                     03 45 F8 89 45 F4 8B F4 6A 64
              45 FC
 00401073
            A3 42 00 3B F4 E8 B3 06 00
 0040108E
           CC A3 42 00 3B F4 E8 97 06 00 00 8B 45
           8B 55 08 52 E8 58 FF FF FF 83 C4 08 85
 004010A9
  26:
  27:
            int a, b, c;
  28:
  29:
            c = a + b;
00401058
                          eax, dword ptr [ebp-4]
             mov
  0040105B
                         eax, dword ptr [ebp-8]
             add
                          dword ptr [ebp-0Ch],eax
  0040105E
             mou
  30:
```


#### Programming language

- Although machine language can be used, it is very inconvenient because programs must be written in binary.
- Programming languages are somewhere between natural language and machine language.
- A compiler translates a programming language into machine language.



### compiler


• A compiler can be considered an interpreter between humans and computers .



### Classification of programming languages


- machine language
- assembly language

high-level




#### Machine language

- A binary representation of the instructions of a specific computer
- Consists of 0 and 1
- Hardware dependent




#### Assembler

- CPU commands are expressed in symbols that are abbreviations of English letters rather than binary numbers.
- It is possible to write programs at a higher level than machine language between symbols and CPU commands
- Assembler: A program that converts symbols into binary.




#### High-level language

- A language that allows you to write programs independently, regardless of the architecture or processor of a specific computer.
- C, C++, JAVA, FORTRAN, PASCAL
- Compiler : A program that converts high-level language state ments into machine language.



#### Low-level and high-level languages

 The reason why they are called high-level languages is because their structure is closer to human language than to machine language.
 In contrast, assembly language and the like are classified as low-level languages because they are closer to machine language.



## Types of high-level languages




Made by FREE-VECTORS.NET

```
PROGRAM HELLO
               Fortran is a language that was first created in the 1950s
                                                                         PRINT '(A)', 'Hello World'
FORTRAN
                and is suitable for numerical and scientific computing.
                                                                         ST<sub>0</sub>P
                                                              END
                                                              IDENTIFICATION DIVISION.
               COBOL is a business processing language created
                                                                      PROGRAM-ID. HELLO-WORLD.
COBOL.
               in 1959. The language was designed to be
                                                                      PROCEDURE DIVISION.
               written in a colloquial sentence format.
                                                                            DISPLAY 'Hello World'.
                                                                            STOP RUN.
               Python is an interpreted language developed by Guido
                                                              print("Hello World")
               van Rossum in 1991. It is easy for beginners
Python
                to learn and is widely used in the fields of
                artificial intelligence and data science.
                                                              int main(void)
               The C language was created in the early 1970s
                                                                   printf("Hello World\n");
               by Dennis Ritchie, who was working at AT&T's
               Bell Labs for the UNIX operating system.
                                                                   return 0;
                                                              int main()
               C++ is a language developed by Stroustrup
               at Bell Labs in 1983, and is a language that adds
C++
                                                                   cout << "Hello World" << endl;</pre>
               several object-oriented features, including the
                                                                   return 0;
               concept of classes, to the C language.
                                                              public class Hello {
                                                                  public static void main(String[] args)
               Java is an object-oriented language developed
Java
               by James Gosling of Sun Microsystems in
                                                                         System.out.println("Hello World");
```

#### Introduction of C Language

- Developed by Dennis Ritchie of AT&T in the early 1970s.
- Language B -> Language C
- Created for the development of UNIX operating systems.
- Starting from scratch with professional language






#### C language

- K & RC
  - 1978 " C Programming Language " Book publication
  - Informal specification role
- ANSI C
  - In 1983, the American National Standards Institute (ANSI) published a standard by a committee called X3J11.
- C99
  - Standardized by ISO in 1999
  - Add features used in C++
  - Supported by a growing number of compilers
- C11
  - C language standard published by ISO in December 2011 .
- C17, C18
  - C17 , published as ISO/IEC 9899:2018 in June 2018 , is the current stand ard . It adds no new language features and only fixes technical defects f rom the C11 version .

#### Features of the C language

- It's concise
- It is efficient
- The C language allows for both low-level programming that directly controls hardware, as well as high-level programming.
- C language is highly portable
- C language will help you understand how computer hardware works

### Features of the C language



#### Disadvantages of the C language

- It is difficult for beginners to learn
- There are many cases where pointers, which are essential elements for controlling hardware, are misused




#### C language still be used in the future ?

- C language is a common part of C++ and JAVA
- Programs where execution speed is important are implemented in the C language
- C language is widely used in


Embedded System: An embedded system is a special purpose system in which a computer is embedded in a device, such as an MP3 player or cell phone.



### Uses of the C Language



## What you will learn in this chapter



#### Algorithm

- Q) Can anyone cook if they just learn how to use an oven and have the ingredients?
- A) You need to know how to cook







#### What is an algorithm?


- Algorithm: A description of the step-by-step procedure that a computer must perform to solve a problem
- (Example) Let's consider the problem of finding the phone number of a specific person in a phone book





### Algorithm for making bread

- 1) Prepare an empty bowl.
- 2 Add yeast to flour and milk and stir.
- 3 Add butter, sugar, and eggs and mix.
- 4 Leave in a warm place to ferment.
- (5) Bake in an oven at




# Algorithm to find the sum of numbers from 1 to 10

① Add the numbers from 1 to 10 one by one.

$$1 + 2 + 3 + ... + 10 = 55$$

② Group the numbers so that the sum of the two numbers is 10, multiply the number of groups by 10, and add the remaining number 5





3 You can also calculate it using the formula.

$$10*(1+10)/2=55$$


#### The Art of Algorithms

- Natural language (natural language)
- Flowchart
- pseudo-code



#### Example of an algorithm


Algorithm for finding roots of quadratic equations



```
Step 1: input a, b, c
Step 2: d ←sqrt(b×b-4×a×c)
Step 3: x1 ←(-b+d)/(2×a)
Step 4: x2 ←(-b-d)/(2×a)
Step 5: print ×1, ×2
```


#### The Art of Algorithms

 Flow chart: A method of graphically representing the logical sequence or sequence of operations in a program.




#### Example of an algorithm

• Let's show the algorithm for logging into the school homepage in a flowchart.



#### Pseudocode

- Pseudo code is a code that is more systematic than natural language and less rigorous than a programming language and is mainly used to express algorithms.
- For example, the algorithm that takes the grades of 10 students and calculates the average can be expressed in pseudocode as follows:



```
total ← 0

counter ← 1

while counter <= 10

input grade

grade ← grade + total


counter ← counter + 1

average ← total / 10

print average
```

#### The importance of algorithms


- If we give computers bad algorithms, we are bound to get bad results
- Our smartphones, home appliances, and cars have caused so far
- If there are no errors in the algorithm, the computer program will also operate without logical errors







#### How to create an algorithm

- 1. A problem all at once, break it down into smaller problems
- 2. Keep breaking the problem down until it is small enough






# Lab: Algorithm for handling printer failures



## Lab: Algorithm for determining pass or fail



# Q & A

